EVOLUTION

INTERNATIONAL JOURNAL OF ORGANIC EVOLUTION

PUBLISHED BY

THE SOCIETY FOR THE STUDY OF EVOLUTION

Vol. 49 **Subject Index** **1995**

Evolution, 49(6), 1995, pp. 1308–1315

AMPHIBIANS

Ambystoma, independent evolution, morphology, population crosses, 565

Araneae, body size, fecundity, sexual dimorphism, 776

atavism, caudata, constraint, homoplasy, limbs, variation, 874

cline, egg size, hybrid zone, linkage disequilibrium, quantitative genetics, tadpole development, 1224

Lepidodactylus, parasites, parthenogens, Red Queen hypothesis, sex, 418

ARACHNIDS

copulatory success, *Drosophila*, ectoparasitism, *Macrocheles*, sexual selection, 660

bacteria, adaptation, correlated response, divergence, genetic drift, latent selection potential, pleiotropy, resource competition, selection, 189

bacteria, genetic transformation, linkage disequilibrium, migration, population structure, recombination, 1081

bacteria, population structure, recombination, species concept, 164

kin selection, male aggressiveness, *Schizotetranychus miscanthi*, sexual selection, spider mites, subsociality, Tetranychidae, 413

BEHAVIOR

Allonemobius, behavior, development, phenotypic plasticity, reaction norm, 1271

antipredator behavior, *Engallagma*, evolutionary contrasts, morphological evolution, Odonata, 749

behavior, cladistics, component analysis, congruence, life history, phylogeny, seabirds, total evidence, 974

body size, coadaptation, comparative method, correlated evolution, lizards, locomotion, morphology, physiology, sprint speed, temperature, 848

kin selection, male aggressiveness, *Schizotetranychus miscanthi*, sexual selection, spider mites, subsociality, Tetranychidae, 413

BIOGEOGRAPHY

adaptation, comparative methods, cooperative breeding, phylogenetic autocorrelation, *Pomatostomus temporalis*, 1134

allozymes, biodiversity, fruit bats, genetic distance, genetics, heterozygosity, island biogeography, isolating mechanisms, morphometrics, variation, Wallacea, 399

allozymes, environmental effects, Gastropoda, genetic distances, Polygyridae, Pulmonata, shell morphology, Stylommatophora, sympatric convergence, 469

biogeography, colonization, cultural drift, El Niño, exponential increase, finches, founder effects, inbreeding, selection, 229

biogeography, cytochrome-*b*, evolutionary genetics, mitochondrial DNA, nucleotide sequence, *Perognathus*, restriction fragments, ring species, speciation, 816

biogeography, dispersal, islands, path analysis, species-area relationships, vicariance, 1191

Caspian Sea, glacial relicts, molecular evolution, Mysidacea, speciation, species flocks, zoogeography, 1215

climatic adaptation, *Drosophila melanogaster*, fluctuating asymmetry, geographic races, norms of reaction, ovariole number, phenotypic plasticity, 670

color patterns, geographic variation, mate choice, mate preferences, sexual selection, visual contrast, 456

coral-reef fishes, dispersal, gene flow, historical biogeography, life history, mitochondrial DNA, ocean currents, 897

developmental time, dispersal, egg size, larvae, planktonic interval, planktotrophy, Q_{10}, 476

Nucifraga columbiana, *Pinus flexilis*, seed dispersal, seed predation, *Tamiasciurus*, 585

BIRDS

adaptation, comparative methods, cooperative breeding, phylogenetic autocorrelation, *Pomatostomus temporalis*, 1134

Agelaius phoeniceus, components of fitness, extrapair copulations, mate quality, opportunity for selection, red-winged blackbirds, sexual selection, variance in reproductive success, 1147

badge size, honest signaling, house sparrow, intrasexual competition, survival cost, 570

beaks, body size, Darwin's finches, extrapolation, Galápagos, genetic correlations, multivariate evolution, nutrition, 24

behavior, cladistics, component analysis, congruence, life history, phylogeny, seabirds, total evidence, 974

biogeography, colonization, cultural drift, El Niño, exponential increase, finches, founder effects, inbreeding, selection, 229

birds, *Carduelis*, effective population size, mtDNA, phenotypic variation, polymorphism, RFLP, speciation, 962

birds, coalescence, gene tree, hybridization, mitochondrial DNA, phylogeny, species tree, woodpeckers, 718

birds, C-value paradox, cytoecology, ecophysiological cytogenetics, evolutionary optimization, human-genome program, noncoding DNA, 1249

brood parasitism, *Clamator glandarius*, coevolution, evolutionary equilibrium hypothesis, evolutionary-lag hypothesis, Mafia hypothesis, *Pica pica*, 770

differential allocation hypothesis, female choice, *Hirundo rustica*, ornament size, reproductive effort, sexual selection, 1289

differential allocation hypothesis, female choice, *Hirundo rustica*, ornament size, reproductive effort, sexual selection, 1290

BOOKS REVIEWED

Chromosomal Speciation, 218

The Fly of the Lords, 581

Hybrid Zones, 223

Life in the Tangled Lane, 575

The Major Transitions of Evolution, 1302

Revolutionary Medicine, 1296

Structurally Unsound, 1298

The Ugly Duckling Turns into a Swan, 578

BRYOZOANS

Bryozoa, genotype-environment interaction, phenotypic variance, skeletal morphology, *Stylopoma*, 290

CHROMOSOMAL EVOLUTION

acclimation, climate warming, *Drosophila melanogaster*, heat hardening, heat tolerance, genetic analysis, induced thermotolerance, temperature, 676

bacteria, genetic transformation, linkage disequilibrium, migration, population structure, recombination, 1081

bacteria, population structure, recombination, species concept, 164

© 1995 The Society for the Study of Evolution. All rights reserved.

EVOLUTION

INTERNATIONAL JOURNAL OF ORGANIC EVOLUTION

PUBLISHED BY

THE SOCIETY FOR THE STUDY OF EVOLUTION

Vol. 49 **Subject Index** **1995**

Evolution, 49(6), 1995, pp. 1308–1315

AMPHIBIANS

Ambystoma, independent evolution, morphology, population crosses, 565

Araneae, body size, fecundity, sexual dimorphism, 776

atavism, caudata, constraint, homoplasy, limbs, variation, 874

cline, egg size, hybrid zone, linkage disequilibrium, quantitative genetics, tadpole development, 1224

Lepidodactylus, parasites, parthenogens, Red Queen hypothesis, sex, 418

ARACHNIDS

copulatory success, *Drosophila*, ectoparasitism, *Macrocheles*, sexual selection, 660

bacteria, adaptation, correlated response, divergence, genetic drift, latent selection potential, pleiotropy, resource competition, selection, 189

bacteria, genetic transformation, linkage disequilibrium, migration, population structure, recombination, 1081

bacteria, population structure, recombination, species concept, 164

kin selection, male aggressiveness, *Schizotetranychus miscanthi*, sexual selection, spider mites, subsociality, Tetranychidae, 413

BEHAVIOR

Allonemobius, behavior, development, phenotypic plasticity, reaction norm, 1271

antipredator behavior, *Engallagma*, evolutionary contrasts, morphological evolution, Odonata, 749

behavior, cladistics, component analysis, congruence, life history, phylogeny, seabirds, total evidence, 974

body size, coadaptation, comparative method, correlated evolution, lizards, locomotion, morphology, physiology, sprint speed, temperature, 848

kin selection, male aggressiveness, *Schizotetranychus miscanthi*, sexual selection, spider mites, subsociality, Tetranychidae, 413

BIOGEOGRAPHY

adaptation, comparative methods, cooperative breeding, phylogenetic autocorrelation, *Pomatostomus temporalis*, 1134

allozymes, biodiversity, fruit bats, genetic distance, genetics, heterozygosity, island biogeography, isolating mechanisms, morphometrics, variation, Wallacea, 399

allozymes, environmental effects, Gastropoda, genetic distances, Polygyridae, Pulmonata, shell morphology, Stylommatophora, sympatric convergence, 469

biogeography, colonization, cultural drift, El Niño, exponential increase, finches, founder effects, inbreeding, selection, 229

biogeography, cytochrome-*b*, evolutionary genetics, mitochondrial DNA, nucleotide sequence, *Perognathus*, restriction fragments, ring species, speciation, 816

biogeography, dispersal, islands, path analysis, species-area relationships, vicariance, 1191

Caspian Sea, glacial relicts, molecular evolution, Mysidacea, speciation, species flocks, zoogeography, 1215

climatic adaptation, *Drosophila melanogaster*, fluctuating asymmetry, geographic races, norms of reaction, ovariole number, phenotypic plasticity, 670

color patterns, geographic variation, mate choice, mate preferences, sexual selection, visual contrast, 456

coral-reef fishes, dispersal, gene flow, historical biogeography, life history, mitochondrial DNA, ocean currents, 897

developmental time, dispersal, egg size, larvae, planktonic interval, planktotrophy, Q_{10}, 476

Nucifraga columbiana, *Pinus flexilis*, seed dispersal, seed predation, *Tamiasciurus*, 585

BIRDS

adaptation, comparative methods, cooperative breeding, phylogenetic autocorrelation, *Pomatostomus temporalis*, 1134

Agelaius phoeniceus, components of fitness, extrapair copulations, mate quality, opportunity for selection, red-winged blackbirds, sexual selection, variance in reproductive success, 1147

badge size, honest signaling, house sparrow, intrasexual competition, survival cost, 570

beaks, body size, Darwin's finches, extrapolation, Galápagos, genetic correlations, multivariate evolution, nutrition, 24

behavior, cladistics, component analysis, congruence, life history, phylogeny, seabirds, total evidence, 974

biogeography, colonization, cultural drift, El Niño, exponential increase, finches, founder effects, inbreeding, selection, 229

birds, *Carduelis*, effective population size, mtDNA, phenotypic variation, polymorphism, RFLP, speciation, 962

birds, coalescence, gene tree, hybridization, mitochondrial DNA, phylogeny, species tree, woodpeckers, 718

birds, C-value paradox, cytoecology, ecophysiological cytogenetics, evolutionary optimization, human-genome program, noncoding DNA, 1249

brood parasitism, *Clamator glandarius*, coevolution, evolutionary equilibrium hypothesis, evolutionary-lag hypothesis, Mafia hypothesis, *Pica pica*, 770

differential allocation hypothesis, female choice, *Hirundo rustica*, ornament size, reproductive effort, sexual selection, 1289

differential allocation hypothesis, female choice, *Hirundo rustica*, ornament size, reproductive effort, sexual selection, 1290

BOOKS REVIEWED

Chromosomal Speciation, 218

The Fly of the Lords, 581

Hybrid Zones, 223

Life in the Tangled Lane, 575

The Major Transitions of Evolution, 1302

Revolutionary Medicine, 1296

Structurally Unsound, 1298

The Ugly Duckling Turns into a Swan, 578

BRYOZOANS

Bryozoa, genotype-environment interaction, phenotypic variance, skeletal morphology, *Stylopoma*, 290

CHROMOSOMAL EVOLUTION

acclimation, climate warming, *Drosophila melanogaster*, heat hardening, heat tolerance, genetic analysis, induced thermotolerance, temperature, 676

bacteria, genetic transformation, linkage disequilibrium, migration, population structure, recombination, 1081

bacteria, population structure, recombination, species concept, 164

© 1995 The Society for the Study of Evolution. All rights reserved.

birds, coalescence, gene tree, hybridization, mitochondrial DNA, phylogeny, species tree, woodpeckers, 718
chloroplast capture, hybridization, phylogenetic discord, 727
chromosomal heterozygosity, fecundity, fitness loss, hybrid zone, *Sceloporus grammicus,* 61
chromosomal rearrangements, dispersal, habitat association, heterozygote deficits, linkage disequilibrium, *Sceloporus grammicus,* selection, structured hybrid zone, 9
chromosomal speciation, hybrid zone, meiosis, Robertsonian rearrangements, *Sceloporus grammicus,* synaptonemal complex, underdominance, 37
contingency table, F_{st}, Markov chain, Metropolis algorithm, population structure, 1280
correlated response, genetic correlation, pleiotropy, selection, 685
cytoplasmic inheritance, haploidiploidy, hybrid breakdown, speciation, *Nasonia,* nuclear-cytoplasmic incompatibility, 705
deleterious mutations, diploidy, epistasis, haploidy, life cycles, mean fitness, multilocus selection model, 512
hybrid zone, meiotic malassortment, nucleolar-organizer region, recombination, *Sceloporus grammicus,* speciation potential, synaptonemal complex, 48

COEVOLUTION
Acyrthosiphon pisum, Aphidius ervi, additive genetic variance, haplodiploid organisms, quantitative genetics, species interactions, 439
Acyrthosiphon pisum, Aphidius ervi, clonal variation, quantitative genetics, resistance to a parasitoid, species interactions, 427
Asteraceae, character evolution, Chrysomelidae, coevolution, Coleoptera, genetic constraints, insect-plant interactions, *Ophraella,* phylogeny, quantitative genetics, 797
brood parasitism, *Clamator glandarius,* coevolution, evolutionary equilibrium hypothesis, evolutionary-lag hypothesis, Mafia hypothesis, *Pica pica,* 770
character reconstruction, Chrysomelidae, coevolution, cospeciation, host shifts, insect-plant interactions, *Ophraella,* peripatric speciation, phylogeny, phylogeography, 1008
diet evolution, *Euphydryas editha,* gene flow, host shift, migration, mitochondrial DNA, 351
Nucifraga columbiana, Pinus flexilis, seed dispersal, seed predation, *Tamiasciurus,* 585

COMPETITION
adaptive radiation, competition, Darwin, division of labor, economics, Malthus, natural selection, progress, 1029
ant, local mate competition, population structure, sex-allocation ratio, sex-ratio variability, 260
badge size, honest signaling, house sparrow, intrasexual competition, survival cost, 570
Brassica rapa, competition, interspecific competition, intraspecific competition, phenotypic selection, plants, 1125
competitive ability, *Drosophila,* geographic structure, variable outcomes, 616

CRUSTACEANS
body size, clutch size, comparative analysis, copepods, egg size, life-history evolution, parasitism, phylogenetic contrasts, trade-off, 325
Caspian Sea, glacial relicts, molecular evolution, Mysidacea, speciation, species flocks, zoogeography, 1215

DEVELOPMENT
aging theory, body weight, developmental time, *Drosophila,* reproduction, selection, 635
aging theory, *Drosophila,* early and late fecundity, selection on longevity, 649
Allonemobius, behavior, development, phenotypic plasticity, reaction norm, 1271
allozymes, ecotypes, elevational gradients, gene flow, postdiapause development, *Euphilotes enoptes,* Lycaenidae, phenological isolation, population structure, 446
anatomy, apical system, clypeasteroid, Dendrasteridae, development, eccentricity, echinoid, evolution, periproct, peristome, sand dollar, 1203
Araneae, body size, fecundity, sexual dimorphism, 776
developmental time, dispersal, egg size, larvae, planktonic interval, planktotrophy, Q_{10}, 476

DROSOPHILA
acclimation, climate warming, *Drosophila melanogaster,* heat hardening, heat tolerance, genetic analysis, induced thermotolerance, temperature, 676
aging, *Drosophila melanogaster,* genetic correlations, Gompertz mortality, good genes, heritability, life-history evolution, longevity, male mating success, quantitative genetics, senescence, sexual selection, 521
aging theory, body weight, developmental time, *Drosophila,* reproduction, selection, 635
aging theory, *Drosophila,* early and late fecundity, selection on longevity, 649
antagonistic pleiotropy, comparative method, *Drosophila,* fecundity, life span, mating success, mutation accumulation, randomization, senescence, 394
body size, *Drosophila melanogaster,* environmental uncertainty, genetic versus phenotypic optima, phenotype distributions, 375
body size, *Drosophila melanogaster,* fecundity, fertility, fitness, intrinsic rate of increase, life span, temperature, 538
climatic adaptation, *Drosophila melanogaster,* fluctuating asymmetry, geographic races, norms of reaction, ovariole number, phenotypic plasticity, 670
competitive ability, *Drosophila,* geographic structure, variable outcomes, 616
copulatory success, *Drosophila,* ectoparasitism, *Macrocheles,* sexual selection, 660

ECOLOGY
absolute mean fitness, demographic stochasticity, environmental change, extinction risk, natural selection, one-locus diploid genetics, per-capita growth rate, quantitative genetics, 201
acclimation, climate warming, *Drosophila melanogaster,* heat hardening, heat tolerance, genetic analysis, induced thermotolerance, temperature, 676
asymmetric pollen flow, hermaphrodites, migration, population, subdivision, sex ratio, 1119
bet-hedging, evolutionarily stable strategy (ESS), genetic polymorphism, phenotypic variation, random environment, 337
biogeography, dispersal, islands, path analysis, species-area relationships, vicariance, 1191
environmental variation, genotype-by-environment interaction, life-history characters, maternal effects, *Mimulus guttatus,* natural selection, phenotypic plasticity, 1095
host adaptation, larval performance, local selection, oviposition preference, *Papilo glaucus,* 1163

ECHINODERMS
anatomy, apical system, clypeasteroid, Dendrasteridae, development, eccentricity, echinoid, evolution, periproct, peristome, sand dollar, 1203
developmental time, dispersal, egg size, larvae, planktonic interval, planktotrophy, Q_{10}, 476

ELECTROPHORESIS
acclimation, climate warming, *Drosophila melanogaster,* heat hardening, heat tolerance, genetic analysis, induced thermotolerance, temperature, 676
allozyme, *F* statistics, gene flow, genetic structure, isolation-by-distance, neighborhood size, number of alleles in common, *Quercus laevis,* randomization, spatial autocorrelation, 110
allele frequency clines, allozyme variation, bivalve life history, *Dreissena polymorpha,* ontogenetic planktonic larvae, 1284
allozymes, apomixis, clonal variation, dandelions, multilocus genotypes, pollen flow, *Taraxacum,* 1108
allozymes, biodiversity, fruit bats, genetic distance, genetics, heterozygosity, island biogeography, isolating mechanisms, morphometrics, variation, Wallacea, 399
allozymes, cline, cohort analysis, electrophoresis, gene flow, hard clam, hybrid zone, linkage disequilibrium, *Mercenaria,* selection, tension zone, 276
allozymes, environmental effects, Gastropoda, genetic distances,

Polygyridae, Pulmonata, shell morphology, Stylommatophora, sympatric convergence, 469
allozymes, gene flow, natural selection, *Nerodia sipedon*, snakes, 885

EVOLUTION
adaptation, antipredator behavior, *Chelydra serpentina*, directional selection, disruptive selection, selective predation, sex determination, temperature, turtles, 864
adaptive radiation, competition, Darwin, division of labor, economics, Malthus, natural selection, progress, 1029
adaptive radiation, null models, phylogeny, 1294
adaptive radiation, null models, phylogeny, systematics, topology, 1292
aerobic capacity, comparative method, endurance, evolution of endothermy, genetic correlation, locomotion, maximal aerobic metabolism, metabolism, quantitative genetics, resting metabolism, 836
aging, disposable soma theory, dynamic programming, Gompertz' Law, life history, mortality rates, optimization, senescence, 1055
attraction size, evolutionarily stable strategy, flower number, flower size, hermaphroditic plants, inbreeding depression, intermediate selfing, mating system, self fertilization, sex allocation, 557
balance, Markov trees, phylogenies, speciation, tree topology, 379
Begonia involucrata, deceit pollination, floral evolution, mimicry, pollination, natural selection, trade-offs, 207
Brassica napus, pollen-ovule ratio, selfing rate, *Senecio vulgaris*, sex allocation, 214
competitive ability, *Drosophila*, geographic structure, variable outcomes, 616
demographic stochasticity, environmental change, extinction, genetic stochasticity, mutation, quantitative genetics, selection, 151
D-loop, transitions, transversions, unequal mutation rates, 593
environmental variance-covariance structure, multivariate evolutionary response, phenotypic evolution, 572
evolution, functional perfection, insect flapping flight, suboptimality, vorticity, 1158
evolution, virulence, parasites, pathogens, population structure, pathogenicity, transmission, 743
extinction, mutation accumulation, obligate selfing, random mating, sexual species, 1067
female fitness, male fitness, plant reproduction, pollination biology, 131

FISHES
color patterns, geographic variation, mate choice, mate preferences, sexual selection, visual contrast, 456
coral-reef fishes, dispersal, gene flow, historical biogeography, life history, mitochondrial DNA, ocean currents, 897
gynogenesis, molecular evolution, *Poecilia formosa*, species hybrid, 827

FITNESS
absolute mean fitness, demographic stochasticity, environmental change, extinction risk, natural selection, one-locus diploid genetics, per-capita growth rate, quantitative genetics, 201
adaptation, correlated response, divergence, genetic drift, latent selection potential, pleiotropy, resource competition, selection, 189
adaptive landscapes, phenotypic variance, shifting balance, 252
ancestral phylogeny, cladogenesis, explosive branching, extinction, mass extinction, speciation, 694
animal coloration, developmental plasticity, *Pontia* butterflies, seasonal adaptation, survival analysis, 942
antagonistic pleiotropy, comparative method, *Drosophila*, fecundity, life span, mating success, mutation accumulation, randomization, senescence, 394
body size, *Drosophila melanogaster*, fecundity, fertility, fitness, intrinsic rate of increase, life span, temperature, 538
capture-recapture, fitness function, maximum-likelihood method, *Pontia occidentalis*, quantitative traits, selection coefficients, 384
Ceratitis capitata, female choice, fitness, heritability, lek, sexual selection, 990
deleterious mutations, diploidy, epistasis, haploidy, life cycles, mean fitness, multilocus selection model, 512
dichogamy, gain curves, male function, mating environment, pollinator movement, reproductive resources, selfing, sex allocation, 70
female fitness, male fitness, plant reproduction, pollination biology, 131
fitness cost, gene flow, insecticide resistance genes, mosquito, selection, 997
fitness variation, fundamental theorem, mate choice, natural selection, quantitative genetics, sexual selection, 1
genetic barrier, introgression, multiple loci, postzygotic isolation mechanisms, selection barrier, stabilizing selection, 48
herkogamy, inbreeding depression, outcrossing, resource allocation, selfing, 545
inbreeding, inbreeding depression, *Raphanus*, self-incompatability, 307

FUNGI
Atkinsonella, Danthonia, fungus, host race, mitochondrial DNA, sympatry, 360

GASTROPODS
allozymes, environmental effects, Gastropoda, genetic distances, Polygyridae, Pulmonata, shell morphology, Stylommatophora, sympatric convergence, 469

GENE FLOW
allozyme, *F* statistics, gene flow, genetic structure, isolation-by-distance, neighborhood size, number of alleles in common, *Quercus laevis*, randomization, spatial autocorrelation, 110
allozymes, apomixis, clonal variation, dandelions, multilocus genotypes, pollen flow, *Taraxacum*, 1108
allozymes, cline, cohort analysis, electrophoresis, gene flow, hard clam, hybrid zone, linkage disequilibrium, *Mercenaria*, selection, tension zone, 276
allozymes, ecotypes, elevational gradients, gene flow, postdiapause development, *Euphilotes enoptes*, Lycaenidae, phenological isolation, population structure, 446
allozymes, gene flow, natural selection, *Nerodia sipedon*, snakes, 885
deme formation, differentiation, gene flow, genetic variation, host plant, local adaptation, mobile insect, natural enemies, oak leafminer, natural selection, 810
diet evolution, *Euphydryas editha*, gene flow, host shift, migration, mitochondrial DNA, 351
Dineutus assimilis, dispersal, F_{st}, gene flow, Gyrinidae, mtDNA, population structure, 266
fitness cost, gene flow, insecticide resistance genes, mosquito, selection, 997
gene flow, *Gleditsia*, male fertility, paternity-exclusion analysis, population genetic structure, 921
host adaptation, larval performance, local selection, oviposition preference, *Papilo glaucus*, 1163

HERITABILITY
adaptation, correlated response, divergence, genetic drift, latent selection potential, pleiotropy, resource competition, selection, 189
adaptive landscapes, phenotypic variance, shifting balance, 252
additive variance, coefficient of variation, inbreeding, outcrossing, quantitative genetics, selfing, 911
allele frequency clines, allozyme variation, bivalve life history, *Dreissena polymorpha*, ontogenetic planktonic larvae, 1284
Allonemobius, behavior, development, phenotypic plasticity, reaction norm, 1271
balance, Markov trees, phylogenies, speciation, tree topology, 379
beaks, body size, Darwin's finches, extrapolation, Galápagos, genetic correlations, multivariate evolution, nutrition, 241

Begonia semiovata, genetic correlation, genetic variation, monoecy, reproductive characters, sex allocation, 121
bet-hedging, evolutionarily stable strategy (ESS), genetic polymorphism, phenotypic variation, random environment, 337
birds, *Carduelis,* effective population size, mtDNA, phenotypic variation, polymorphism, RFLP, speciation, 962
body size, *Drosophila melanogaster,* environmental uncertainty, genetic versus phenotypic optima, phenotype distributions, 375
Bryozoa, genotype-environment interaction, phenotypic variance, skeletal morphology, *Stylopoma,* 290
Bulmer effect, constancy, constancy of **G**, genetic drift, maximum likelihood, retrospective selection analysis, 1260
climatic adaptation, *Drosophila melanogaster,* fluctuating asymmetry, geographic races, norms of reaction, ovariole number, phenotypic plasticity, 670
conservation biology, genetic variation, inbreeding depression, population structure, 176
continuously distributed population, effective population size, fixation, heterozygosity, individual-based model, 1046
correlated response, genetic correlation, pleiotropy, selection, 685
cytoplasmic inheritance, haploidiploidy, hybrid breakdown, speciation, *Nasonia,* nuclear-cytoplasmic incompatibility, 705
deleterious mutations, diploidy, epistasis, haploidy, life cycles, mean fitness, multilocus selection model, 512
deme formation, differentiation, gene flow, genetic variation, host plant, local adaptation, mobile insect, natural enemies, oak leafminer, natural selection, 810
demographic stochasticity, environmental change, extinction, genetic stochasticity, mutation, quantitative genetics, selection, 151
environmental variance-covariance structure, multivariate evolutionary response, phenotypic evolution, 572
environmental variation, genotype-by-environment interaction, life-history characters, maternal effects, *Mimulus guttatus,* natural selection, phenotypic plasticity, 1095
epistasis, genetic drift, population subdivision, quantitative genetics, Wright's shifting-balance process, 502
genetic structure, isolation by distance, neighborhood size, spatial autocorrelation, 1022
host adaptation, larval performance, local selection, oviposition preference, *Papilo glaucus,* 1163
Impatiens pallida, invisible fraction, phenotypic selection, phenotypic variance-covariance matrix, 317
natural selection, phenotypic plasticity, *Pontia* butterflies, survival analysis, wing melanin pattern, 932

HYBRIDIZATION

allozymes, cline, cohort analysis, electrophoresis, gene flow, hard clam, hybrid zone, linkage disequilibrium, *Mercenaria,* selection, tension zone, 276
chromosomal heterozygosity, fecundity, fitness loss, hybrid zone, *Sceloporus grammicus,* 61
chromosomal rearrangements, dispersal, habitat association, heterozygote deficits, linkage disequilibrium, *Sceloporus grammicus,* selection, structured hybrid zone, 9
chromosomal speciation, hybrid zone, meiosis, Robertsonian rearrangements, *Sceloporus grammicus,* synaptonemal complex, underdominance, 37
cline, egg size, hybrid zone, linkage disequilibrium, quantitative genetics, tadpole development, 1224
clines, computer simulations, infinite loci, junctions, linkage disequilibrium, 1038
cytoplasmic inheritance, haploidiploidy, hybrid breakdown, speciation, *Nasonia,* nuclear-cytoplasmic incompatibility, 705
genetic barrier, introgression, multiple loci, postzygotic isolation mechanisms, selection barrier, stabilizing selection, 48
gynogenesis, molecular evolution, *Poecilia formosa,* species hybrid, 827
hybrid zone, meiotic malassortment, nucleolar-organizer region, recombination, *Sceloporus grammicus,* speciation potential, synaptonemal complex, 48

INBREEDING

additive variance, coefficient of variation, inbreeding, outcrossing, quantitative genetics, selfing, 911
attraction size, evolutionarily stable strategy, flower number, flower size, hermaphroditic plants, inbreeding depression, intermediate selfing, mating system, self fertilization, sex allocation, 557
biogeography, colonization, cultural drift, El Niño, exponential increase, finches, founder effects, inbreeding, selection, 229
Brassica napus, pollen-ovule ratio, selfing rate, *Senecio vulgaris,* sex allocation, 214
breeding systems, dioecy, gynodioecy, Hawaii, inbreeding depression, outcrossing, photosynthetic carbon assimilation, *Schiedea lydgatei,* selfing, stomatal conductance, 297
conservation biology, genetic variation, inbreeding depression, population structure, 176
herkogamy, inbreeding depression, outcrossing, resource allocation, selfing, 545
inbreeding, inbreeding depression, *Raphanus,* self-incompatability, 307

INSECTS

Acyrthosiphon pisum, Aphidius ervi, additive genetic variance, haplodiploid organisms, quantitative genetics, species interactions, 439
Acyrthosiphon pisum, Aphidius ervi, clonal variation, quantitative genetics, resistance to a parasitoid, species interactions, 427
africanized honey bees, demic diffusion, multivariate morphometrics, population structure, spatial autocorrelation, trend surface analysis, 1172
Allonemobius, behavior, development, phenotypic plasticity, reaction norm, 1271
allozymes, ecotypes, elevational gradients, gene flow, postdiapause development, *Euphilotes enoptes,* Lycaenidae, phenological isolation, population structure, 446
animal coloration, developmental plasticity, *Pontia* butterflies, seasonal adaptation, survival analysis, 942
ant, local mate competition, population structure, sex-allocation ratio, sex-ratio variability, 260
antipredator behavior, *Engallagma,* evolutionary contrasts, morphological evolution, Odonata, 749
Asteraceae, character evolution, Chrysomelidae, coevolution, Coleoptera, genetic constraints, insect-plant interactions, *Ophraella,* phylogeny, quantitative genetics, 797
capture-recapture, fitness function, maximum-likelihood method, *Pontia occidentalis,* quantitative traits, selection coefficients, 384
Ceratitis capitata, female choice, fitness, heritability, lek, sexual selection, 990
character reconstruction, Chrysomelidae, coevolution, cospeciation, host shifts, insect-plant interactions, *Ophraella,* peripatric speciation, phylogeny, phylogeography, 1008
comparative method, *Heliconius,* Lepidoptera, mating system, nuptial gifts, phylogeny, polyandry, resource allocation, sexual size dimorphism, 955
conservation biology, genetic variation, inbreeding depression, population structure, 176
deme formation, differentiation, gene flow, genetic variation, host plant, local adaptation, mobile insect, natural enemies, oak leafminer, natural selection, 810
diet evolution, *Euphydryas editha,* gene flow, host shift, migration, mitochondrial DNA, 351
Dineutus assimilis, dispersal, F_{st}, gene flow, Gyrinidae, mtDNA, population structure, 266
evolution, functional perfection, insect flapping flight, suboptimality, vorticity, 1158
fitness cost, gene flow, insecticide resistance genes, mosquito, selection, 997
host adaptation, larval performance, local selection, oviposition preference, *Papilo glaucus,* 1163
natural selection, phenotypic plasticity, *Pontia* butterflies, survival analysis, wing melanin pattern, 932

Life History
aging, disposable soma theory, dynamic programming, Gompertz' Law, life history, mortality rates, optimization, senescence, 1055
aging, *Drosophila melanogaster,* genetic correlations, Gompertz mortality, good genes, heritability, life-history evolution, longevity, male mating success, quantitative genetics, senescence, sexual selection, 521
allele frequency clines, allozyme variation, bivalve life history, *Dreissena polymorpha,* ontogenetic planktonic larvae, 1284
behavior, cladistics, component analysis, congruence, life history, phylogeny, seabirds, total evidence, 974
body size, clutch size, comparative analysis, copepods, egg size, life-history evolution, parasitism, phylogenetic contrasts, trade-off, 325
body size, *Drosophila melanogaster,* environmental uncertainty, genetic versus phenotypic optima, phenotype distributions, 375
body size, *Drosophila melanogaster,* fecundity, fertility, fitness, intrinsic rate of increase, life span, temperature, 538
castrating trematodes, life-history evolution, parthenogenesis, *Potamopyrgus,* Red Queen hypothesis, sexual reproduction, 1268
coral-reef fishes, dispersal, gene flow, historical biogeography, life history, mitochondrial DNA, ocean currents, 897
environmental variation, genotype-by-environment interaction, life-history characters, maternal effects, *Mimulus guttatus,* natural selection, phenotypic plasticity, 1095

Mammals
allozymes, biodiversity, fruit bats, genetic distance, genetics, heterozygosity, island biogeography, isolating mechanisms, morphometrics, variation, Wallacea, 399
artificial selection, basal metabolic rate, energetics, energy budget, evolutionary trade-offs, heart, inbred mouse strains, intestine, kidney, liver, organ masses, 1239
biogeography, cytochrome-*b,* evolutionary genetics, mitochondrial DNA, nucleotide sequence, *Perognathus,* restriction fragments, ring species, speciation, 816
Nucifraga columbiana, Pinus flexilis, seed dispersal, seed predation, *Tamiasciurus,* 585

Molecular Evolution
ancestral phylogeny, cladogenesis, explosive branching, extinction, mass extinction, speciation, 694
asexual reproduction, cytochrome oxidase III, gynogenesis, *Lasaea,* mitochondrial DNA, molecular phylogeny, Mollusca, 140
Atkinsonella, Danthonia, fungus, host race, mitochondrial DNA, sympatry, 360
biogeography, cytochrome-*b,* evolutionary genetics, mitochondrial DNA, nucleotide sequence, *Perognathus,* restriction fragments, ring species, speciation, 816
birds, *Carduelis,* effective population size, mtDNA, phenotypic variation, polymorphism, RFLP, speciation, 962
birds, coalescence, gene tree, hybridization, mitochondrial DNA, phylogeny, species tree, woodpeckers, 718
Caspian Sea, glacial relicts, molecular evolution, Mysidacea, speciation, species flocks, zoogeography, 1215
character reconstruction, Chrysomelidae, coevolution, cospeciation, host shifts, insect-plant interactions, *Ophraella,* peripatric speciation, phylogeny, phylogeography, 1008
chloroplast capture, hybridization, phylogenetic discord, 727
cytoplasmic incompatibility, population-genetic models, 1277
cytoplasmic inheritance, haploidiploidy, hybrid breakdown, speciation, *Nasonia,* nuclear-cytoplasmic incompatibility, 705
demography, human evolution, molecular anthropology, population genetics, Upper Paleolithic, 608
diet evolution, *Euphydryas editha,* gene flow, host shift, migration, mitochondrial DNA, 351
Dineutus assimilis, dispersal, F_{st}, gene flow, Gyrinidae, mtDNA, population structure, 266
D-loop, transitions, transversions, unequal mutation rates, 593
endosymbiosis, eukaryote, free redicals, mitochondria, oxidants, units of evolution, 785
gynogenesis, molecular evolution, *Poecilia formosa,* species hybrid, 827

Mollusks
allele frequency clines, allozyme variation, bivalve life history, *Dreissena polymorpha,* ontogenetic planktonic larvae, 1284
allozymes, cline, cohort analysis, electrophoresis, gene flow, hard clam, hybrid zone, linkage disequilibrium, *Mercenaria,* selection, tension zone, 276
allozymes, environmental effects, Gastropoda, genetic distances, Polygyridae, Pulmonata, shell morphology, Stylommatophora, sympatric convergence, 469
asexual reproduction, cytochrome oxidase III, gynogenesis, *Lasaea,* mitochondrial DNA, molecular phylogeny, Mollusca, 140
biogeography, dispersal, islands, path analysis, species-area relationships, vicariance, 1191
mating behavior, polymorphism, reinforcement, reproductive isolation, sexual selection, sympatric speciation, 1180

Morphology
adaptation, comparative methods, cooperative breeding, phylogenetic autocorrelation, *Pomatostomus temporalis,* 1134
africanized honey bees, demic diffusion, multivariate morphometrics, population structure, spatial autocorrelation, trend surface analysis, 1172
allozymes, biodiversity, fruit bats, genetic distance, genetics, heterozygosity, island biogeography, isolating mechanisms, morphometrics, variation, Wallacea, 399
Ambystoma, independent evolution, morphology, population crosses, 565
animal coloration, developmental plasticity, *Pontia* butterflies, seasonal adaptation, survival analysis, 942
antipredator behavior, *Engallagma,* evolutionary contrasts, morphological evolution, Odonata, 749
Araneae, body size, fecundity, sexual dimorphism, 776
artificial selection, bottlenecks, genetic architecture, morphometric shape, 626
atavism, caudata, constraint, homoplasy, limbs, variation, 874
badge size, honest signaling, house sparrow, intrasexual competition, survival cost, 570
bet-hedging, evolutionarily stable strategy (ESS), genetic polymorphism, phenotypic variation, random environment, 337
biogeography, dispersal, islands, path analysis, species-area relationships, vicariance, 1191
birds, *Carduelis,* effective population size, mtDNA, phenotypic variation, polymorphism, RFLP, speciation, 962
body size, coadaptation, comparative method, correlated evolution, lizards, locomotion, morphology, physiology, sprint speed, temperature, 848
breeding systems, dioecy, gynodioecy, Hawaii, inbreeding depression, outcrossing, photosynthetic carbon assimilation, *Schiedea lydgatei,* selfing, stomatal conductance, 297
Bryozoa, genotype-environment interaction, phenotypic variance, skeletal morphology, *Stylopoma,* 290
chronobiology, habitat choice, hosts, parasites, polymorphism, schistosomes, sympatric speciation, 372
comparative method, *Heliconius,* Lepidoptera, mating system, nuptial gifts, phylogeny, polyandry, resource allocation, sexual size dimorphism, 955
corolla color, demography, natural selection, *Phlox drummondii,* 1017
differential allocation hypothesis, female choice, *Hirundo rustica,* ornament size, reproductive effort, sexual selection, 1290
gamete packaging, ovule number per flower, resource allocation, stigmatic pollen load, 100
mating behavior, polymorphism, reinforcement, reproductive isolation, sexual selection, sympatric speciation, 1180
natural selection, phenotypic plasticity, *Pontia* butterflies, survival analysis, wing melanin pattern, 932

Parasitism
Acyrthosiphon pisum, Aphidius ervi, additive genetic variance, haplodiploid organisms, quantitative genetics, species interactions, 439

Acyrthosiphon pisum, Aphidius ervi, clonal variation, quantitative genetics, resistance to a parasitoid, species interactions, 427
Asteraceae, character evolution, Chrysomelidae, coevolution, Coleoptera, genetic constraints, insect-plant interactions, *Ophraella,* phylogeny, quantitative genetics, 797
Atkinsonella, Danthonia, fungus, host race, mitochondrial DNA, sympatry, 360
body size, clutch size, comparative analysis, copepods, egg size, life-history evolution, parasitism, phylogenetic contrasts, trade-off, 325
brood parasitism, *Clamator glandarius,* coevolution, evolutionary equilibrium hypothesis, evolutionary-lag hypothesis, Mafia hypothesis, *Pica pica,* 770
castrating trematodes, life-history evolution, parthenogenesis, *Potamopyrgus,* Red Queen hypothesis, sexual reproduction, 1268
chronobiology, habitat choice, hosts, parasites, polymorphism, schistosomes, sympatric speciation, 372
copulatory success, *Drosophila,* ectoparasitism, *Macrocheles,* sexual selection, 660
evolution, virulence, parasites, pathogens, population structure, pathogenicity, transmission, 743
Lepidodactylus, parasites, parthenogens, Red Queen hypothesis, sex, 418

PHYLOGENY
adaptive radiation, null models, phylogeny, 1294
adaptive radiation, null models, phylogeny, systematics, topology, 1292
ancestral phylogeny, cladogenesis, explosive branching, extinction, mass extinction, speciation, 694
asexual reproduction, cytochrome oxidase III, gynogenesis, *Lasaea,* mitochondrial DNA, molecular phylogeny, Mollusca, 140
atavism, caudata, constraint, homoplasy, limbs, variation, 874
balance, Markov trees, phylogenies, speciation, tree topology, 379
behavior, cladistics, component analysis, congruence, life history, phylogeny, seabirds, total evidence, 974
birds, coalescence, gene tree, hybridization, mitochondrial DNA, phylogeny, species tree, woodpeckers, 718
character reconstruction, Chrysomelidae, coevolution, cospeciation, host shifts, insect-plant interactions, *Ophraella,* peripatric speciation, phylogeny, phylogeography, 1008
chloroplast capture, hybridization, phylogenetic discord, 727
comparative method, *Heliconius,* Lepidoptera, mating system, nuptial gifts, phylogeny, polyandry, resource allocation, sexual size dimorphism, 955

PHYSIOLOGY
aerobic capacity, comparative method, endurance, evolution of endothermy, genetic correlation, locomotion, maximal aerobic metabolism, metabolism, quantitative genetics, resting metabolism, 836
anatomy, apical system, clypeasteroid, Dendrasteridae, development, eccentricity, echinoid, evolution, periproct, peristome, sand dollar, 1203
artificial selection, basal metabolic rate, energetics, energy budget, evolutionary trade-offs, heart, inbred mouse strains, intestine, kidney, liver, organ masses, 1239
beaks, body size, Darwin's finches, extrapolation, Galápagos, genetic correlations, multivariate evolution, nutrition, 241
birds, C-value paradox, cytoecology, ecophysiological cytogenetics, evolutionary optimization, human-genome program, noncoding DNA, 1249
body size, clutch size, comparative analysis, copepods, egg size, life-history evolution, parasitism, phylogenetic contrasts, trade-off, 325
body size, coadaptation, comparative method, correlated evolution, lizards, locomotion, morphology, physiology, sprint speed, temperature, 848
breeding systems, dioecy, gynodioecy, Hawaii, inbreeding depression, outcrossing, photosynthetic carbon assimilation, *Schiedea lydgatei,* selfing, stomatal conductance, 297
endosymbiosis, eukaryote, free redicals, mitochondria, oxidants, units of evolution, 785
evolution, functional perfection, insect flapping flight, suboptimality, vorticity, 1158

PLANTS (SEE ALSO REPRODUCTION—PLANT)
allozyme, *F* statistics, gene flow, genetic structure, isolation-by-distance, neighborhood size, number of alleles in common, *Quercus laevis,* randomization, spatial autocorrelation, 110
allozymes, apomixis, clonal variation, dandelions, multilocus genotypes, pollen flow, *Taraxacum,* 1108
breeding systems, dioecy, gynodioecy, Hawaii, inbreeding depression, outcrossing, photosynthetic carbon assimilation, *Schiedea lydgatei,* selfing, stomatal conductance, 297
corolla color, demography, natural selection, *Phlox drummondii,* 1017
environmental variation, genotype-by-environment interaction, life-history characters, maternal effects, *Mimulus guttatus,* natural selection, phenotypic plasticity, 1095
gene flow, *Gleditsia,* male fertility, paternity-exclusion analysis, population genetic structure, 921
Impatiens pallida, invisible fraction, phenotypic selection, phenotypic variance-covariance matrix, 317
Nucifraga columbiana, Pinus flexilis, seed dispersal, seed predation, *Tamiasciurus,* 585

PLATYHELMINTHS
castrating trematodes, life-history evolution, parthenogenesis, *Potamopyrgus,* Red Queen hypothesis, sexual reproduction, 1268
chronobiology, habitat choice, hosts, parasites, polymorphism, schistosomes, sympatric speciation, 372

POPULATION BIOLOGY
adaptive landscapes, phenotypic variance, shifting balance, 252
africanized honey bees, demic diffusion, multivariate morphometrics, population structure, spatial autocorrelation, trend surface analysis, 1172
allozymes, apomixis, clonal variation, dandelions, multilocus genotypes, pollen flow, *Taraxacum,* 1108
allozymes, ecotypes, elevational gradients, gene flow, postdiapause development, *Euphilotes enoptes,* Lycaenidae, phenological isolation, population structure, 446
Ambystoma, independent evolution, morphology, population crosses, 565
ant, local mate competition, population structure, sex-allocation ratio, sex-ratio variability, 260
artificial selection, bottlenecks, genetic architecture, morphometric shape, 626
asymmetric pollen flow, hermaphrodites, migration, population subdivision, sex ratio, 1119
bacteria, genetic transformation, linkage disequilibrium, migration, population structure, recombination, 1081
bacteria, population structure, recombination, species concept, 164
Bulmer effect, constancy, constancy of **G**, genetic drift, maximum likelihood, retrospective selection analysis, 1260
chronobiology, habitat choice, hosts, parasites, polymorphism, schistosomes, sympatric speciation, 372
clines, computer simulations, infinite loci, junctions, linkage disequilibrium, 1038
conservation biology, genetic variation, inbreeding depression, population structure, 176
contingency table, F_{st}, Markov chain, Metropolis algorithm, population structure, 1280
continuously distributed population, effective population size, fixation, heterozygosity, individual-based model, 1046
cytoplasmic incompatibility, population-genetic models, 1277
demographic method, drift, effective population size, *Eichornia paniculata,* genetic method, 392
demography, human evolution, molecular anthropology, population genetics, Upper Paleolithic, 608
Dineutus assimilis, dispersal, F_{st}, gene flow, Gyrinidae, mtDNA, population structure, 266
D-loop, transitions, transversions, unequal mutation rates, 593

effective population size, *Eichornia paniculata,* reproductive success, selfing, variance, 389
epistasis, genetic drift, population subdivision, quantitative genetics, Wright's shifting-balance process, 502
evolution, virulence, parasites, pathogens, population structure, pathogenicity, transmission, 743
gene flow, *Gleditsia,* male fertility, paternity-exclusion analysis, population genetic structure, 921
genetic barrier, introgression, multiple loci, postzygotic isolation mechanisms, selection barrier, stabilizing selection, 48
genetic structure, isolation by distance, neighborhood size, spatial autocorrelation, 1022
mating behavior, polymorphism, reinforcement, reproductive isolation, sexual selection, sympatric speciation, 1180

PREDATION
adaptation, antipredator behavior, *Chelydra serpentina,* directional selection, disruptive selection, selective predation, sex determination, temperature, turtles, 864
antipredator behavior, *Engallagma,* evolutionary contrasts, morphological evolution, Odonata, 749

QUANTITATIVE GENETICS
absolute mean fitness, demographic stochasticity, environmental change, extinction risk, natural selection, one-locus diploid genetics, per-capita growth rate, quantitative genetics, 201
Acyrthosiphon pisum, Aphidius ervi, additive genetic variance, haplodiploid organisms, quantitative genetics, species interactions, 439
Acyrthosiphon pisum, Aphidius ervi, clonal variation, quantitative genetics, resistance to a parasitoid, species interactions, 427
additive variance, coefficient of variation, inbreeding, outcrossing, quantitative genetics, selfing, 911
aerobic capacity, comparative method, endurance, evolution of endothermy, genetic correlation, locomotion, maximal aerobic metabolism, metabolism, quantitative genetics, resting metabolism, 836
aging, *Drosophila melanogaster,* genetic correlations, Gompertz mortality, good genes, heritability, life-history evolution, longevity, male mating success, quantitative genetics, senescence, sexual selection, 521
Asteraceae, character evolution, Chrysomelidae, coevolution, Coleoptera, genetic constraints, insect-plant interactions, *Ophraella,* phylogeny, quantitative genetics, 797
capture-recapture, fitness function, maximum-likelihood method, *Pontia occidentalis,* quantitative traits, selection coefficients, 384
cline, egg size, hybrid zone, linkage disequilibrium, quantitative genetics, tadpole development, 1224
crossing distance, diallel cross, maternal variance, maximum likelihood, natural population, phenotypic covariance, phenotypic variance, plants, postpollination events, quantitative genetics, seed mass, seed set, sexual selection, 80
demographic stochasticity, environmental change, extinction, genetic stochasticity, mutation, quantitative genetics, selection, 151
epistasis, genetic drift, population subdivision, quantitative genetics, Wright's shifting-balance process, 502
fitness variation, fundamental theorem, mate choice, natural selection, quantitative genetics, sexual selection, 1

REPRODUCTION—ANIMAL
adaptation, comparative methods, cooperative breeding, phylogenetic autocorrelation, *Pomatostomus temporalis,* 1134
Agelaius phoeniceus, components of fitness, extrapair copulations, mate quality, opportunity for selection, red-winged blackbirds, sexual selection, variance in reproductive success, 1147
aging theory, body weight, developmental time, *Drosophila,* reproduction, selection, 635
ant, local mate competition, population structure, sex-allocation ratio, sex-ratio variability, 260
asexual reproduction, cytochrome oxidase III, gynogenesis, *Lasaea,* mitochondrial DNA, molecular phylogeny, Mollusca, 140
castrating trematodes, life-history evolution, parthenogenesis, *Potamopyrgus,* Red Queen hypothesis, sexual reproduction, 1268
comparative method, *Heliconius,* Lepidoptera, mating system, nuptial gifts, phylogeny, polyandry, resource allocation, sexual size dimorphism, 955
cytoplasmic incompatibility, population-genetic models, 1277
differential allocation hypothesis, female choice, *Hirundo rustica,* ornament size, reproductive effort, sexual selection, 1289
differential allocation hypothesis, female choice, *Hirundo rustica,* ornament size, reproductive effort, sexual selection, 1290
gynogenesis, molecular evolution, *Poecilia formosa,* species hybrid, 827
Lepidodactylus, parasites, parthenogens, Red Queen hypothesis, sex, 418

REPRODUCTION—PLANT
additive variance, coefficient of variation, inbreeding, outcrossing, quantitative genetics, selfing, 911
Asclepias, functional gender, inflorescence size, paternity analysis, reproductive success, 89
asymmetric pollen flow, hermaphrodites, migration, population, subdivision, sex ratio, 1119
attraction size, evolutionarily stable strategy, flower number, flower size, hermaphroditic plants, inbreeding depression, intermediate selfing, mating system, self fertilization, sex allocation, 557
Begonia involucrata, deceit pollination, floral evolution, mimicry, pollination, natural selection, trade-offs, 207
Begonia semiovata, genetic correlation, genetic variation, monoecy, reproductive characters, sex allocation, 121
Brassica napus, pollen-ovule ratio, selfing rate, *Senecio vulgaris,* sex allocation, 214
Brassica rapa, competition, interspecific competition, intraspecific competition, phenotypic selection, plants, 1125
crossing distance, diallel cross, maternal variance, maximum likelihood, natural population, phenotypic covariance, phenotypic variance, plants, postpollination events, quantitative genetics, seed mass, seed set, sexual selection, 80
demographic method, drift, effective population size, *Eichornia paniculata,* genetic method, 392
dichogamy, gain curves, male function, mating environment, pollinator movement, reproductive resources, selfing, sex allocation, 70
effective population size, *Eichornia paniculata,* reproductive success, selfing, variance, 389
female fitness, male fitness, plant reproduction, pollination biology, 131
gamete packaging, ovule number per flower, resource allocation, stigmatic pollen load, 100
herkogamy, inbreeding depression, outcrossing, resource allocation, selfing, 545
inbreeding, inbreeding depression, *Raphanus,* self-incompatability, 307

REPTILES
adaptation, antipredator behavior, *Chelydra serpentina,* directional selection, disruptive selection, selective predation, sex determination, temperature, turtles, 864
allozymes, gene flow, natural selection, *Nerodia sipedon,* snakes, 885
body size, coadaptation, comparative method, correlated evolution, lizards, locomotion, morphology, physiology, sprint speed, temperature, 848
chromosomal heterozygosity, fecundity, fitness loss, hybrid zone, *Sceloporus grammicus,* 61
chromosomal rearrangements, dispersal, habitat association, heterozygote deficits, linkage disequilibrium, *Sceloporus grammicus,* selection, structured hybrid zone, 9
chromosomal speciation, hybrid zone, meiosis, Robertsonian rearrangements, *Sceloporus grammicus,* synaptonemal complex, underdominance, 37

hybrid zone, meiotic malassortment, nucleolar-organizer region, recombination, *Sceloporus grammicus,* speciation potential, synaptonemal complex, 48

SELECTION—EXPERIMENTAL

aging theory, body weight, developmental time, *Drosophila,* reproduction, selection, 635

aging theory, *Drosophila,* early and late fecundity, selection on longevity, 649

artificial selection, basal metabolic rate, energetics, energy budget, evolutionary trade-offs, heart, inbred mouse strains, intestine, kidney, liver, organ masses, 1239

artificial selection, bottlenecks, genetic architecture, morphometric shape, 626

Asclepias, functional gender, inflorescence size, paternity analysis, reproductive success, 89

Impatiens pallida, invisible fraction, phenotypic selection, phenotypic variance-covariance matrix, 317

SELECTION—NATURAL

absolute mean fitness, demographic stochasticity, environmental change, extinction risk, natural selection, one-locus diploid genetics, per-capita growth rate, quantitative genetics, 201

adaptive radiation, competition, Darwin, division of labor, economics, Malthus, natural selection, progress, 1029

allozymes, gene flow, natural selection, *Nerodia sipedon,* snakes, 885

beaks, body size, Darwin's finches, extrapolation, Galápagos, genetic correlations, multivariate evolution, nutrition, 241

Begonia involucrata, deceit pollination, floral evolution, mimicry, pollination, natural selection, trade-offs, 207

corolla color, demography, natural selection, *Phlox drummondii,* 1017

deme formation, differentiation, gene flow, genetic variation, host plant, local adaptation, mobile insect, natural enemies, oak leafminer, natural selection, 810

environmental variance-covariance structure, multivariate evolutionary response, phenotypic evolution, 572

fitness variation, fundamental theorem, mate choice, natural selection, quantitative genetics, sexual selection, 1

Impatiens pallida, invisible fraction, phenotypic selection, phenotypic variance-covariance matrix, 317

natural selection, phenotypic plasticity, *Pontia* butterflies, survival analysis, wing melanin pattern, 932

SELECTION—SEXUAL

Agelaius phoeniceus, components of fitness, extrapair copulations, mate quality, opportunity for selection, red-winged blackbirds, sexual selection, variance in reproductive success, 1147

Ceratitis capitata, female choice, fitness, heritability, lek, sexual selection, 990

color patterns, geographic variation, mate choice, mate preferences, sexual selection, visual contrast, 456

copulatory success, *Drosophila,* ectoparasitism, *Macrocheles,* sexual selection, 660

crossing distance, diallel cross, maternal variance, maximum likelihood, natural population, phenotypic covariance, phenotypic variance, plants, postpollination events, quantitative genetics, seed mass, seed set, sexual selection, 80

differential allocation hypothesis, female choice, *Hirundo rustica,* ornament size, reproductive effort, sexual selection, 1289

differential allocation hypothesis, female choice, *Hirundo rustica,* ornament size, reproductive effort, sexual selection, 1290

fitness variation, fundamental theorem, mate choice, natural selection, quantitative genetics, sexual selection, 1

mating behavior, polymorphism, reinforcement, reproductive isolation, sexual selection, sympatric speciation, 1180

SENESCENCE

aging, disposable soma theory, dynamic programming, Gompertz' Law, life history, mortality rates, optimization, senescence, 1055

aging, *Drosophila melanogaster,* genetic correlations, Gompertz mortality, good genes, heritability, life-history evolution, longevity, male mating success, quantitative genetics, senescence, sexual selection, 521

aging theory, body weight, developmental time, *Drosophila,* reproduction, selection, 635

aging theory, *Drosophila,* early and late fecundity, selection on longevity, 649

antagonistic pleiotropy, comparative method, *Drosophila,* fecundity, life span, mating success, mutation accumulation, randomization, senescence, 394

kin selection, male aggressiveness, *Schizotetranychus miscanthi,* sexual selection, spider mites, subsociality, Tetranychidae, 413

VARIATION (SEE HERITABILITY)